

Blue Moon - THCA Dab Pen

Sample ID: 2607AFL1116.3918

Internal Lab ID: ATL-37711

Client

Strain: Runtz

Arvida Labs White Labels

Matrix: Concentrates & Extracts

Received: 07/13/2026

Lic. # 426021

Type: Vape

Completed: 07/13/2026

1291 NW 65th Pl

Unit Weight: 1 g

Batch#: BMTDP-003

Fort Lauderdale, FL 33309



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

07/13/2026

Complete

Expanded Potency - HPLC

Complete

13.386%

Total THC

3.184%

Total CBD

81.593%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.021	ND	ND	CBN	0.007	0.022	1.734	17.34
CBDV	0.007	0.022	ND	ND	Δ^9 -THC	0.007	0.022	ND	ND
CBDa	0.007	0.021	1.015	10.15	Δ^8 -THC	0.007	0.022	60.724	607.24
CBGa	0.007	0.021	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.022	0.260	2.60	(6aR,9R)-d10-THC	0.008	0.024	ND	ND
CBD	0.007	0.022	2.294	22.94	CBC	0.007	0.022	ND	ND
THCV	0.007	0.022	0.303	3.03	CBCa	0.007	0.021	ND	ND
Δ^8 -THCV	0.008	0.024	ND	ND	THCa	0.007	0.021	15.263	152.63
THCVa	0.007	0.021	ND	ND	Total			81.593	815.93

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 07/13/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.