

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Dog Treats N/A Matrix: Edible



Sample:DA21021007-001 Harvest/Lot ID: KND389

Batch#: Dog-Treats-KND389 Seed to Sale# N/A

Batch Date: 10/15/22

Sample Size Received: 100 mg

Total Batch Size: N/A Retail Product Size: 100 gram

Ordered : 10/17/22

Sampled: 10/17/22 **Completed**: 10/25/22

Sampling Method: SOP.T.20.010.FL

PASSED

Page 1 of 1

Oct 25, 2022 | Farmasci Life

1100 Park Central Blvd S Pompano Beach, FL, 33064, US

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals



Microbials NOT TESTE



Mycotoxins



Residuals Solvents



Filth NOT TESTED



Water Activity



Moisture NOT TESTE



Terpenes NOT TESTED

PASSED



Cannabinoid





Total CBD **0.076%**



Total Cannabinoids **0.076**%

			ND	ND
LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % %	0.001 %	0.001	0.001 %	0.001 %

Reviewed On: 10/25/22 07:37:43 Batch Date: 10/21/22 08:42:14

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA051358POT Instrument Used: DA-LC-007 Running on: 10/21/22 11:03:36

Dilution : 40
Reagent : 100622.36; 101222.R05; 030322.03; 071222.01; 102022.R01
Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



10/25/22

Signed On