

Kaycha Labs

CBD Gummies Melatonin Matrix: Edible

Pages 1 of 1



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis COMPLIANCE FOR RETAIL


Sample:DA31215008-006 Harvest/Lot ID: KND394 Batch#: KND394 Seed to Sale# 202 Batch Date: 12/08/23 Sample Size Received: 150 mg Total Amount: 150 mg Retail Product Size: 150 mg Ordered: 12/13/23 Sampled: 12/15/23 Completed: 12/19/23 Sampling Method: SOP.T.20.010.FL

PASSED

Dec 19, 2023 | Farmasci Life - Blue Moon Hemp

3361 NW 55th St

Fort Lauderdale, FL, 33309, US
PRODUCT IMAGE SAFETY RESULTS



0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 4044 Extraction date Extracted by Weight 7.23150 12/15/23 13:06:06 3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 12/18/23 21:51:35 Analytical Batch : DA067393POT Instrument Used : DA-LC-007 Analyzed Date : 12/15/23 13:44:34 Batch Date : 12/15/23 11:45:4 Dilution : 400 Buildon : 400 Reagent : 120623.R45; 120623.R28; 060723.50; 070121.27; 111423.R04 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270 Pipette : DA-079; DA-108; DA-078 um cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39. Full Sn

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/23