



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50820008-002



Aug 22, 2025 | Farmasci Life

 3361 NW 55th St
 Fort Lauderdale, FL, 33309, US

Production Method: Other - Not Listed

Harvest/Lot ID: 230558

Batch#: 230558

Seed to Sale#: 2oz

Harvest Date: 08/01/25

Sample Size Received: 1 units

Total Amount: 1 units

Retail Product Size: 1 units

Retail Serving Size: 1 units

Servings: 1

Sampled: 08/15/25

Completed: 08/22/25

Sampling Method: SOP.T.20.010.FL

TESTED

Pages 1 of 1

SAFETY RESULTS


 Pesticides
NOT TESTED

 Heavy Metals
NOT TESTED

 Microbials
NOT TESTED

 Mycotoxins
NOT TESTED

 Residuals
 Solvents
NOT TESTED

 Filth
NOT TESTED

 Water Activity
NOT TESTED

 Moisture
NOT TESTED

 Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED


Total THC
ND

Total CBD
0.557%

Total Cannabinoids
0.557%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.557	ND	ND	ND	ND	ND	ND	<0.01	ND
mg/unit	ND	ND	5.57	ND	ND	ND	ND	ND	ND	<0.1	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3621, 3335, 1665, 585, 1440

 Weight:
 3.1496g

 Extraction date:
 08/21/25 11:33:26

 Extracted by:
 3335,3621

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA089750POT
 Instrument Used : DA-LC-003
 Analyzed Date : 08/22/25 10:02:23

Batch Date : 08/21/25 08:46:08

 Dilution : 400
 Reagent : 081125.R02; 061825.15; 081125.R05
 Consumables : 947.110; 04402004; 040724CH01; 0000355309
 Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 08/22/25