



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31228012-014  
 Harvest/Lot ID: KND394  
 Batch#: KND394











Seed to Sale# 4oz  
 Batch Date: 12/01/23  
 Sample Size Received: 1000 mg  
 Total Amount: 1000 mg  
 Retail Product Size: 1000 mg  
 Ordered: 12/20/23  
 Sampled: 12/28/23  
 Completed: 12/30/23  
 Sampling Method: SOP.T.20.010.FL

Dec 30, 2023 | Farmasci Life


3361 NW 55th St  
 Fort Lauderdale, FL, 33309, US

**PASSED**

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

 **Cannabinoid** **PASSED**



Analyzed by: 3335, 1665, 585, 1440      Weight: 3.0827g      Extraction date: 12/29/23 11:41:49      Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 12/30/23 12:04:26  
 Analytical Batch : DA067836POT      Batch Date : 12/29/23 08:28:45  
 Instrument Used : DA-LC-007  
 Analyzed Date : 12/29/23 11:46:22

Dilution : 400  
 Reagent : 122723.R28; 060723.24; 121223.R03  
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 12/30/23