



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31228012-039

Harvest/Lot ID: KND394

Batch#: KND394

Seed to Sale# 116mm

Sample Size Received: 1 units

Total Amount: 1 units

Retail Product Size: 2 gram

Ordered: 12/20/23

Sampled: 12/28/23

Completed: 12/30/23

Sampling Method: SOP.T.20.010.FL

Dec 30, 2023 | Farmasci Life

3361 NW 55th St
Fort Lauderdale, FL, 33309, US

PASSED

Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.202%



Total CBD
5.979%



Total Cannabinoids
21.194%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.152	0.058	3.230	3.135	11.231	0.606	2.444	0.082	ND	0.033	0.223
mg/unit	3.04	1.16	64.60	62.70	224.62	12.12	48.88	1.64	ND	0.66	4.46
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2032g

Extraction date:
12/29/23 11:38:36

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA067838POT
Instrument Used : DA-LC-002
Analysis Date : 12/29/23 11:56:30

Reviewed On : 12/30/23 12:06:57
Batch Date : 12/29/23 08:34:31

Dilution : 400
Reagent : 120623.R28; 060723.24; 121523.R02
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/30/23