

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

## **Kaycha Labs**

Grape D8 Matrix: Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

## **Certificate of Analysis**

COMPLIANCE FOR RETAIL

Sample:DA31215008-013 Harvest/Lot ID: KND394

Batch#: KND394 Seed to Sale# 2oz

Batch Date: 12/08/23

Sample Size Received: 250 mg

Total Amount: 250 mg Retail Product Size: 250 mg

**Ordered:** 12/13/23 Sampled: 12/15/23 **Completed:** 12/18/23

Revision Date: 12/19/23

Sampling Method: SOP.T.20.010.FL

**PASSED** 

Pages 1 of 1

Hemp 3361 NW 55th St

Dec 19, 2023 | Farmasci Life - Blue Moon

PRODUCT IMAGE

Fort Lauderdale, FL, 33309, US

SAFETY RESULTS



Pesticides

**Total THC** 

0.095%



Heavy Metals



Microbials



Residuals Solvents



Filth NOT TESTED



Water Activity



Moisture **NOT TESTED** 



MISC.

Terpenes NOT TESTED

**PASSED** 




## Cannabinoid



**Total CBD** 



**Total Cannabinoids** 0.612%



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA067393POT Instrument Used: DA-LC-007 Analyzed Date: 12/15/23 13:44:34

Dilution 1:400
Reagent: 120623.R45; 120623.R28; 060723.50; 070121.27; 111423.R04
Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

Lab Director

Reviewed On: 12/18/23 14:27:18

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

12/18/23

Revision: #1 - Clerical error.