



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50122013-006



Jan 25, 2025 | Farmasci Life

3361 NW 55th St
Fort Lauderdale, FL, 33309, US

Production Method: Other - Not Listed
Harvest/Lot ID: 230558CC
Batch#: 230558
Seed to Sale#: 30 ml
Harvest Date: 01/15/25
Sample Size Received: 30 ml
Total Amount: 30 ml
Retail Product Size: 30 ml
Retail Serving Size: 30 ml
Servings: 1
Sample Density: 0.92 g/mL
Ordered: 01/21/25
Sampled: 01/22/25
Completed: 01/25/25
Sampling Method: SOP.T.20.010.FL


PASSED

Pages 1 of 1

SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

Cannabinoid **PASSED**



Analyzed by:
3335, 1665, 585, 3605, 1440

Weight:
3.0391g

Extraction date:
01/23/25 14:19:57

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA082535POT
Instrument Used : DA-LC-007
Analyzed Date : 01/25/25 11:18:51

Batch Date : 01/23/25 11:08:19

Dilution : 40
Reagent : 120324.07; 090924.05; 010825.48; 011325.R07; 011325.R09
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
01/25/25