



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

## TESTED



**Harvest/Lot ID:** 20260105J  
**Batch #:** 20260105J  
**Harvest Date:** 01/01/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 1 units  
**Retail Product Size:** 30 ml  
**Retail Serving Size:** 1 ml  
**Density:** 0.92 g/mL  
**Servings:** 30  
**Seed To Sale #:** 30ML

**Lab ID:** MI60227011-003  
**Sampled:** 02/25/26  
**Sampling Method:** SOP.T.20.010.FL  
**Sample Size:** 30 ml  
**Completed:** 03/01/26  
**LAT:** 30ML **LONG:** 30ML

### Farmasci Life


3361 NW 55th St  
Fort Lauderdale, FL, 33309, US  
License # : 2022-R-1962471

### SAFETY RESULTS

### MISC.

								
Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filt/Foreign Material	Water Activity	Moisture Content	Terpenes
NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

## Cannabinoid TESTED



Analyzed by: 5150, 1665, 585, 1440      Weight: 3.0081g      Extraction date: 02/27/26 13:16:13      Extracted by: 5150,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : MI096259POT  
Instrument Used : DA-LC-008      Batch Date : 02/27/26 11:08:06  
Analyzed Date : 03/01/26 17:14:14

Dilution : 40  
Reagent : 020526.01; 021626.R07; 010825.18; 012226.23; 021626.R04  
Consumables : 947.110; 04312111; 030125CH01; 0000355309  
Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/01/26