

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Tuna Tincture Matrix: Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31215008-009

Harvest/Lot ID: KND394 Batch#: KND394

Seed to Sale# 30ML Batch Date: 12/08/23

Sample Size Received: 250 mg

Total Amount: 250 mg Retail Product Size: 250 mg

> **Ordered:** 12/13/23 Sampled: 12/15/23 Completed: 12/19/23

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 1

Dec 19, 2023 | Farmasci Life - Blue Moon

3361 NW 55th St

Fort Lauderdale, FL, 33309, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials





Residuals Solvents

Reviewed On: 12/18/23 21:52:30

Batch Date: 12/15/23 11:45:47



Filth NOT TESTED



Water Activity



Moisture




MISC.

Terpenes NOT TESTED



Cannabinoid

PASSED



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA067393POT

Instrument Used: DA-LC-007 Analyzed Date: 12/15/23 13:44:34

Dilution: 400
Reagent: 120623.R45; 120623.R28; 060723.50; 070121.27; 111423.R04

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/19/23