

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Tinctures 3000 N/A Matrix: Edible



Sample: DA21021007-005 Harvest/Lot ID: KND389

Batch#: Tinc-3000-KND389 Seed to Sale# N/A

Batch Date: 10/15/22

Sample Size Received: 3000 mg

Total Batch Size: N/A Retail Product Size: 3000 gram

> Ordered: 10/17/22 Sampled: 10/17/22

Completed: 10/24/22

Sampling Method: SOP.T.20.010.FL

Page 1 of 1

Oct 24, 2022 | Farmasci Life

1100 Park Central Blvd S Pompano Beach, FL, 33064, US

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals



Microbials



Mycotoxins



Residuals Solvents



Filth



Water Activity



Moisture



Terpenes NOT TESTED

PASSED



Cannabinoid






Total CBD 9.308%



Total Cannabinoids



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA051358POT

Instrument Used : DA-LC-007 Running on : 10/21/22 11:03:36

Reviewed On: 10/24/22 12:39:49 Batch Date: 10/21/22 08:42:14

Reagent: 100622.36; 101222.R05; 030322.03; 071222.01; 102022.R01 Consumables: 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



10/24/22

Signed On