



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31215008-004
Harvest/Lot ID: KND394
Batch#: KND394











Seed to Sale# 30ML
Batch Date: 12/08/23
Sample Size Received: 3000 mg
Total Amount: 3000 mg
Retail Product Size: 3000 mg
Ordered: 12/13/23
Sampled: 12/15/23
Completed: 12/19/23
Sampling Method: SOP.T.20.010.FL

PASSED


Pages 1 of 1

Dec 19, 2023 | Farmasci Life - Blue Moon
Hemp

3361 NW 55th St
Fort Lauderdale, FL, 33309, US

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3335, 1665, 585, 4044	Weight: 3.168g	Extraction date: 12/15/23 13:06:05	Extracted by: 3335
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA067393POT
 Instrument Used : DA-LC-007
 Analyzed Date : 12/15/23 13:44:34

Reviewed On : 12/18/23 21:50:49
 Batch Date : 12/15/23 11:45:47

Dilution : 400
 Reagent : 120623.R45; 120623.R28; 060723.50; 070121.27; 111423.R04
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
12/19/23